Introducing the new AutoSIR System from Gen3 Systems

Measuring changes in Surface Insulation Resistance

Features:

Measurement Time: 256 Channels <8 seconds

Applied Voltage: +1V to 1000V

Measurement Range: $10^6 \Omega$ to $10^{14} \Omega$

Measurement Method: Continuous on all selected channels

Measurement Test Intervals: Fully Selectable from minimum of 1 minute

SYSTEMS

3

Surface Insulation Resistance Testing System

SIR Testing



Measurements may be taken at test intervals that are fully selectable from a minimum of 1 minute. Each channel is current limited (1 M Ω), ensuring that Electro-Chemical Reactions (Dendrites) are preserved for subsequent failure analysis. The frequent monitoring capability provides a full picture of the electrochemical reactions taking place on a circuit assembly, and provides early trend analysis enabling tests to be curtailed, thus saving considerable test time and money.

The design of the data acquisition cards minimises channel-to-channel leakage. This is important because, the extremely low levels of current involved in SIR measurement means, any stray currents (including electromagnetic noise or leakage between wire insulations) can significantly affect measurement accuracy.

Independent temperature-humidity monitoring records the environmental conditions next to the coupon under test, as the data is gathered, for more accurate data analysis.

The NEW AutoSIR Measurement System

Truly continuous monitoring and measurement.

When the measurement and test bias are the same, no switching takes place as the voltages are continuously applied.

A measurement range of 10^6 to $10^{14} \Omega$ remains at the heart of the system.

Measurements from all 256 channels can be taken in <8 seconds.

Capable of testing to all existing test specifications IPC - IEC - JNC and other user specifications.

Future-proofed design.

Adaptable and flexible software operating with Windows® 7 and 8.

AutoSIR 2 is available with 64, 128 or 256 channel configurations.

On connection the system runs a self test.

Assuming a 256 channel instrument:

TEST COUPON	No. of Test Points	Max No. of Coupons per Test
IPC B24	4	64
IPC B25 (Bellcore "W" pattern)	15	26
IPC B25A	8	32
IPC B52 / IEC TB57	16	16
NEW IPC B53/IEC B53	4	64

GEN3 Systems - Setting the Standard



AutoSIR 2 with optional test rack and computer

Specifications

Number of Channels	64 or 128 or 256	
Measurable range of insulation resistance	10 6 to 10 $^{14}\Omega$	
Internal Bias Voltage	0V; 3.3V; 5V; 10V; ±50V & ±100V	
External Bias Voltage	1V to 1000V	
Measurement Method	Continuous on all selected channels	
Measurement Test Intervals	Fully selectable from minimum of 1 Minute	
Measurement Time	256 channels <8 seconds	
Maximum Test Duration	Unlimited	
Current measuring cable	Fully shielded	
System status LED'S	Power Communications Low resistance Temperature and humidity Bias Voltage Out of Range / Failure	
Data collection	Sampling Time, Elapsed Time, Resistance, Current, Applied Voltage, Temperature, Humidity	
Applicable OS	Windows® 7 & 8	
Power requirement	110V / 230V Switchable mains single phase	
Dimensions	[A] 515mm (20½") [B] 170mm (6½") [C] 390mm (15″)	
Weight	10.5 kgs (371 lbs)	



















Gen3 Systems Limited

B2, Armstrong Mall, Southwood Business Park, Farnborough, Hampshire, GU14 0NR. UK Telephone: +44 (0)12 5252 1500 • Fax: +44 (0)12 5252 1515 • Email: sales@gen3systems.com