

Page 1/7

## Safety Data Sheet acc. to OSHA HCS

Printing date 07/12/2023 Reviewed on 07/12/2023

#### 1 Identification

- · Product identifier
- · Trade name: Waermeleitpaste T12
- · Application of the substance / the mixture Auxiliary
- · Details of the supplier of the safety data sheet
- Manufacturer/Supplier: Stannol GmbH & Co. KG Haberstrasse 24 D-42551 Velbert
- +49 (0) 2051 3120 332 sdb@stannol.de
- · Information department: Product Safety Department
- **Emergency telephone number:**

8:00 am - 5:00 pm (CET) +49 (0) 2051 3120 332

+1 (307) 899 3845

### 2 Hazard(s) identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

- · Label elements
- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 1 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

#### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.
- · Dangerous components:

CAS: 1314-13-2 zinc oxide

EINECS: 215-222-5

### 4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- $\cdot$  After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.

(Contd. on page 2)



Page 2/7

# Safety Data Sheet acc. to OSHA HCS

Printing date 07/12/2023 Reviewed on 07/12/2023

Trade name: Waermeleitpaste T12

(Contd. of page 1)

 $\cdot$  Indication of any immediate medical attention and special treatment needed

No further relevant information available.

#### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- · Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

PAC-1:

 CAS: 1314-13-2
 zinc oxide
 10 mg/m³

 CAS: 63148-62-9
 Polydimethylsiloxan
 65 mg/m³

PAC-2:

CAS: 1314-13-2 zinc oxide 15 mg/m³ CAS: 63148-62-9 Polydimethylsiloxan 720 mg/m³

· PAC-3:

CAS: 1314-13-2 zinc oxide 2,500 mg/m³ CAS: 63148-62-9 Polydimethylsiloxan 4,300 mg/m³

### 7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- · Storage class: 11
- · Specific end use(s) No further relevant information available.

#### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

(Contd. on page 3)



Page 3/7

# Safety Data Sheet acc. to OSHA HCS

Printing date 07/12/2023 Reviewed on 07/12/2023

Trade name: Waermeleitpaste T12

(Contd. of page 2)

· Control parameters

· Components with limit values that require monitoring at the workplace:

CAS: 1314-13-2 zinc oxide

PEL (USA) Long-term value: 15\* 5\*\* mg/m<sup>3</sup>

\*total dust \*\*respirable fraction and fume

REL (USA) Short-term value: 10\*\* mg/m³

Long-term value: 5 mg/m<sup>3</sup> Ceiling limit value: 15\* mg/m<sup>3</sup>

\*dust only \*\*fume

TLV (USA) Short-term value: 10\* mg/m3

Long-term value: 2\* mg/m³ \*as respirable fraction

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

· Protection of hands:



Protective gloves

Rubber gloves

Synthetic gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection: Safety glasses

## 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Solid

Color: According to product specification

Odor: CharacteristicOdor threshold: Not determined.

(Contd. on page 4)



Page 4/7

## Safety Data Sheet acc. to OSHA HCS

Printing date 07/12/2023 Reviewed on 07/12/2023

Trade name: Waermeleitpaste T12

· Decomposition temperature:

(Contd. of page 3)

· **pH-value:** Not applicable.

· Change in condition

Melting point/Melting range:<br/>Boiling point/Boiling range:Undetermined.<br/>360 °C (680 °F)• Flash point:189 °C (372.2 °F)• Flammability (solid, gaseous):Not determined.• Auto igniting:360 °C (680 °F)

· **Ignition temperature:** Product is not selfigniting.

• Danger of explosion: Product does not present an explosion hazard.

Not determined.

· Explosion limits:

Lower:
Upper:
Not determined.
Not determined.

Vapor pressure at 176 °C (348.8 °F):
1.5 hPa (1.1 mm Hg)

Density:
Not determined.
Not determined.

Relative density
 Vapor density
 Evaporation rate
 Not determined.
 Not applicable.
 Not applicable.

· Solubility in / Miscibility with

Water: Insoluble.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

**Dynamic:** Not applicable. **Kinematic:** Not applicable.

· Solvent content:

**VOC content:** 0.00 % **Solids content:** 65.0 %

· Other information No further relevant information available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.

(Contd. on page 5)



Page 5/7

## Safety Data Sheet acc. to OSHA HCS

Printing date 07/12/2023 Reviewed on 07/12/2023

Trade name: Waermeleitpaste T12

(Contd. of page 4)

#### · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

## 14 Transport information

UN-Number

·IATA

· DOT, IMDG, IATA

UN3077

· UN proper shipping name

· DOT

Environmentally hazardous substance, solid, n.o.s. (zinc oxide) ·IMDG ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(zinc oxide), MARINE POLLUTANT

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

(zinc oxide)

(Contd. on page 6)



Page 6/7

# Safety Data Sheet acc. to OSHA HCS

Printing date 07/12/2023 Reviewed on 07/12/2023

Trade name: Waermeleitpaste T12

(Contd. of page 5)

· Transport hazard class(es)

· DOT, IMDG, IATA



· Class 9 Miscellaneous dangerous substances and articles

· Label 9

· Packing group

· DOT, IMDG, IATA

· Environmental hazards:

· Marine pollutant: Yes (DOT)

Symbol (fish and tree)

Special marking (IATA): Symbol (fish and tree)

• Special precautions for user Warning: Miscellaneous dangerous substances and articles

· Hazard identification number (Kemler code): 90

• EMS Number: F-A,S-F

· Stowage Category A

• Stowage Code SW23 When transported in BK3 bulk container, see 7.6.2.12 and

7.7.3.9.

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

· Transport/Additional information:

· DOT

• **Quantity limitations** On passenger aircraft/rail: 400 kg

On cargo aircraft only: 400 kg

• **Remarks:** Special marking with the symbol (fish and tree).

IMDG

Limited quantities (LQ)Excepted quantities (EQ)5 kgCode: E1

Maximum net quantity per inner packaging: 30 g Maximum net quantity per outer packaging: 1000 g

· UN "Model Regulation": UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S. (ZINC OXIDE), 9, III

## 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 1314-13-2 zinc oxide

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.



Page 7/7

## **Safety Data Sheet** acc. to OSHA HCS

Printing date 07/12/2023 Reviewed on 07/12/2023

Trade name: Waermeleitpaste T12

(Contd. of page 6)

- · Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

- Carcinogenic categories
- · EPA (Environmental Protection Agency)

CAS: 1314-13-2 zinc oxide

D, I, II

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Product Safety Department
- Contact: Hr. Dörr
- · Date of preparation / last revision 07/12/2023
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

VOC: Volatile Organic Compounds (USA, EÙ) PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

US