

Page 1/7

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/13/2025

Reviewed on 03/13/2025

1 Identification

· Product identifier

- · Trade name: Loetlegierung SN100C
 - Loetlegierung SN100C Fairtin Loetlegierung SN100C04 Loetlegierung SN100C04 Loetlegierung SN100C04 Fairtin Loetlegierung SN100C3 Fairtin Loetlegierung SN100C4 Loetlegierung SN100C4 Fairtin Loetlegierung SN100C5 Loetlegierung SN100C5 Loetlegierung SN100C5+ Loetlegierung SN100C5+ Fairtin
- \cdot Application of the substance / the mixture $\mbox{Brazing alloy}$

· Details of the supplier of the safety data sheet

Manufacturer/Supplier: Stannol GmbH & Co. KG Haberstrasse 24 D-42551 Velbert

+49 (0) 2051 3120 332 sdb@stannol.de

Information department: Product Safety Department
 Emergency telephone number: 8:00 am - 5:00 pm (CET) +49 (0) 2051 3120 332

2 Hazard identification

· Classification of the substance or mixture

The product is not classified, according to the Globally Harmonized System (GHS).

· Label elements

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- Other hazards

Always wash your hands carefully with soap and water after handling the product before eating, drinking and smoking. Keep out of reach of children.

3 Composition/Information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:

CAS: 7440-31-5 tin EINECS: 231-141-8 CAS: 7440-50-8 Copper, solid EINECS: 231-159-6

4 First-aid measures

· Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.



Page 2/7

Safety Data Sheet

according to HPR, Schedule 1

Reviewed on 03/13/2025

Printing date 03/13/2025

Trade name: Loetlegierung SN100C Loetlegierung SN100C Fairtin Loetlegierung SN100C04 Loetlegierung SN100C04 Fairtin Loetlegierung SN100C3 Loetlegierung SN100C3 Fairtin Loetlegierung SN100C4 Loetlegierung SN100C4 Fairtin Loetlegierung SN100CS Loetlegierung SN100CS Fairtin Loetlegierung SN100CS+ Loetlegierung SN100CS+ Loetlegierung SN100CS+

· After swallowing: If symptoms persist consult doctor.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

- Wear protective clothing.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- · Methods and material for containment and cleaning up: Pick up mechanically.
- Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling No special measures required.
- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- Storage class: 11
- · Specific end use(s) No further relevant information available.

8 Exposure controls/ Personal protection

• Additional information about design of technical systems: No further data; see section 7.

(Contd. of page 1)



Page 3/7

Safety Data Sheet

according to HPR, Schedule 1

Reviewed on 03/13/2025

Printing date 03/13/2025

Trade name: Loetlegierung SN100C Loetlegierung SN100C Fairtin Loetlegierung SN100C04 Loetlegierung SN100C04 Fairtin Loetlegierung SN100C3 Loetlegierung SN100C3 Fairtin Loetlegierung SN100C4 Loetlegierung SN100C4 Fairtin Loetlegierung SN100CS Loetlegierung SN100CS Fairtin Loetlegierung SN100CS+ Loetlegierung SN100CS+ Fairtin

(Contd. of page 2)

- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 7440-31-5 tin

- EL (Canada) TWA: 2 mg/m³ metal
- EV (Canada) TWA: 2* 0.1** mg/m3 *metal, oxide, inorg. compds.;**org. compds.: Skin

CAS: 7440-50-8 Copper, solid

- EL (Canada) TWA: 1* 0.2** mg/m³ *dusts and mists; **fume, as Cu
- EV (Canada) TWA: 0.2* 1** mg/m3

as copper, *fume;**dust and mists

· Additional information: The lists that were valid during the creation were used as basis.

· Exposure controls

- · Personal protective equipment:
- · General protective and hygienic measures:
- The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter P2

· Protection of hands:



Protective gloves

Leather gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.



Page 4/7

Reviewed on 03/13/2025

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/13/2025

Trade name: Loetlegierung SN100C Loetlegierung SN100C Fairtin Loetlegierung SN100C04 Loetlegierung SN100C04 Fairtin Loetlegierung SN100C3 Loetlegierung SN100C3 Fairtin Loetlegierung SN100C4 Loetlegierung SN100C4 Fairtin Loetlegierung SN100CS Loetlegierung SN100CS+ Loetlegierung SN100CS+ Loetlegierung SN100CS+ Fairtin

· Eye protection: Safety glasses

(Contd. of page 3)

9 Physical and chemical properties

 Information on basic physical and chemical properties General Information Appearance: 	
Form: Color: • Odor: • Odor threshold:	Solid Light grey Odorless Not determined.
· pH-value:	Not applicable.
 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. Undetermined.
· Flash point:	Not applicable.
· Flammability:	Not determined.
· Decomposition temperature:	Not determined.
· Ignition temperature:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard.
 Explosion limits: Lower: Upper: 	Not determined. Not determined.
· Vapor pressure:	Not applicable.
 Density: Relative density Vapor density Evaporation rate 	Not determined. Not determined. Not applicable. Not applicable.
 Solubility in / Miscibility with Water: 	Insoluble.
· Partition coefficient (n-octanol/water): Not determined.	
 Viscosity: Dynamic: Kinematic: 	Not applicable. Not applicable.
 Solvent content: Solids content: 	100.0 %



Page 5/7

Safety Data Sheet

according to HPR, Schedule 1

Reviewed on 03/13/2025

Printing date 03/13/2025

Trade name: Loetlegierung SN100C Loetlegierung SN100C Fairtin Loetlegierung SN100C04 Loetlegierung SN100C04 Fairtin Loetlegierung SN100C3 Fairtin Loetlegierung SN100C3 Fairtin Loetlegierung SN100C4 Fairtin Loetlegierung SN100CS Fairtin Loetlegierung SN100CS Fairtin Loetlegierung SN100CS+ Loetlegierung SN100CS+ Fairtin

· Other information

No further relevant information available.

(Contd. of page 4)

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

IARC (International Agency for Research on Cancer) CAS: 7440-02-0 nickel

· NTP (National Toxicology Program)

CAS: 7440-02-0 nickel

12 Ecological information

· Toxicity

- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system. (Contd. on page 6)

2B

R



Page 6/7

Safety Data Sheet

according to HPR, Schedule 1

Reviewed on 03/13/2025

Printing date 03/13/2025

Trade name: Loetlegierung SN100C Loetlegierung SN100C Fairtin Loetlegierung SN100C04 Loetlegierung SN100C04 Fairtin Loetlegierung SN100C3 Loetlegierung SN100C3 Fairtin Loetlegierung SN100C4 Loetlegierung SN100C4 Fairtin Loetlegierung SN100CS Loetlegierung SN100CS+ Loetlegierung SN100CS+ Loetlegierung SN100CS+ Fairtin

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.

· Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

 \cdot Recommendation: Smaller quantities can be disposed of with household waste.

· Uncleaned packagings:

· Recommendation: Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

14 Transport information

· UN-Number · DOT/TDG, ADR, ADN, IMDG, IATA	not regulated
 UN proper shipping name DOT/TDG, ADR, ADN, IMDG, IATA 	not regulated
· Transport hazard class(es)	
· DOT/TDG, ADR, ADN, IMDG, IATA · Class	not regulated
 Packing group DOT/TDG, ADR, IMDG, IATA 	not regulated
· Environmental hazards:	Not applicable.
· Special precautions for user	Not applicable.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· UN "Model Regulation":	not regulated

15 Regulatory information

 \cdot Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.

· Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

 \cdot Section 313 (Specific toxic chemical listings):

CAS: 7440-50-8 Copper, solid

(Contd. of page 5)



Page 7/7

Reviewed on 03/13/2025

Safety Data Sheet

according to HPR, Schedule 1

Printing date 03/13/2025

Trade name: Loetlegierung SN100C Loetlegierung SN100C Fairtin Loetlegierung SN100C04 Loetlegierung SN100C04 Fairtin Loetlegierung SN100C3 Fairtin Loetlegierung SN100C4 Fairtin Loetlegierung SN100C4 Fairtin Loetlegierung SN100CS Fairtin Loetlegierung SN100CS Fairtin Loetlegierung SN100CS+ Loetlegierung SN100CS+ Fairtin

CAS: 7440-02-0 nickel

- · TSCA (Toxic Substances Control Act):
- All components have the value ACTIVE.
- · Canadian substance listings:
- · Canadian Domestic Substances List (DSL)
- CAS: 7440-31-5 tin

CAS: 7440-50-8 Copper, solid CAS: 7440-02-0 nickel

· Canadian Non-Domestic Substances List (NDSL)

CAS: 7440-56-4 germanium

• Canadian Ingredient Disclosure list (limit 0.1%) None of the ingredients is listed.

· Canadian Ingredient Disclosure list (limit 1%)

All ingredients are listed.

- · GHS label elements Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing SDS: Product Safety Department
- Contact: Hr. Dörr
- Date of the latest revision of the safety data sheet 03/13/2025 / 4.2
- Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

(Contd. of page 6)