

Page 1/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.03.2023

Version number 11.5 (replaces version 11.4)

Revision: 16.03.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name: Lotpaste SP1100 Sn62Pb36Ag2

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

Drinking water installations, use in food technology. Use in medical technology. Temperatures> 500 ° C · **Technical function** soldering

· Application of the substance / the mixture Brazing alloy

 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Stannol GmbH & Co. KG Haberstrasse 24 D-42551 Velbert

+49 (0) 2051 3120 332 sdb@stannol.de

 Further information obtainable from: Product Safety Department
 1.4 Emergency telephone number: 8:00 am - 5:00 pm (CET) +49 (0) 2051 3120 332

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

 Classification according to Regulation (EC) No 1272/2008 					
Skin Sens. 1	H317	May cause an allergic skin reaction.			
Carc. 2	H351	Suspected of causing cancer.			
Repr. 1A	H360FD-H362	May damage fertility. May damage the unborn child. May cause harm to breast-fed children.			
STOT RE 1	H372	Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.			
Aquatic Acute 1	H400	Very toxic to aquatic life.			
Aquatic Chronic 1	H410	Very toxic to aquatic life with long lasting effects.			
	_				

· 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

lead powder [particle diameter < 1 mm]

maleic acid

· Hazard statements

H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.



Page 2/9

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.03.2023

Version number 11.5 (replaces version 11.4)

Revision: 16.03.2023

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

(Contd. of page 1)

H372	Causes damage to the central nervous system, the kidneys and the blood through prolonged or				
H410	repeated exposure. Very toxic to aquatic life with long lasting effects.				
-	onary statements				
P201	Obtain special instructions before use.				
P202	Do not handle until all safety precautions have been read and understood.				
P260	Do not breathe dust/fume/gas/mist/vapours/spray.				
P263	Avoid contact during pregnancy and while nursing.				
P302+P352 IF ON SKIN: Wash with plenty of water.					
P308+P3	13 IF exposed or concerned: Get medical advice/attention.				
 Additional 	al information:				
EUH201A Warning! Contains lead.					
Restricted to professional users.					
· 2.3 Other					
 Results of 	of PBT and vPvB assessment				
	applicable.				
· vPvB: No	t applicable.				
	10. On many a sister of the formation of the second state				
SECTION	3: Composition/information on ingredients				
· 3.2 Mixtu	res				

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:

Bungerous compor		
CAS: 7439-92-1 EINECS: 231-100-4	lead powder [particle diameter < 1 mm] Repr. 1A, H360FD-H362; STOT RE 1, H372 Aquatic Chronic 1, H410 EUH201A Specific concentration limit: Repr. 1A; H360D: $C \ge 0.03 \%$	10 - 35%
CAS: 27458-92-0 EINECS: 248-469-2	isotridecan-1-ol Skin Irrit. 2, H315	2 - 9%
CAS: 7440-22-4 EINECS: 231-131-3	Silver (Powder <0.0001mm) Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=100)	≤ 2.5%
CAS: 61788-95-2 EINECS: 263-022-1	Amine, (hydrierte Talg-alkyl)dimethyl- Skin Corr. 1B, H314; Eye Dam. 1, H318 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≤ 1%
CAS: 110-16-7 EINECS: 203-742-5	maleic acid Acute Tox. 4, H302; Acute Tox. 4, H312; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335 Specific concentration limit: Skin Sens. 1; H317: $C \ge 0.1 \%$	≤ 1%

· SVHC

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

· After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact: Immediately wash with water and soap and rinse thoroughly.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 11.5 (replaces version 11.4)

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

· 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Printing date 16.03.2023

- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

6.2 Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

- Ensure adequate ventilation.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care.

Prevent formation of aerosols.

· Information about fire - and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage:

· Requirements to be met by storerooms and receptacles: No special requirements.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

· Storage class: 6.1 C

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

BOELV (EU) Long-term value: 0.15 mg/m³ as Pb

CAS: 7440-22-4 Silver (Powder < 0.0001mm)

WEL (Great Britain) Long-term value: 0.1 mg/m³

IOELV (EU) Long-term value: 0.1 mg/m³

Page 3/9

Revision: 16.03.2023

(Contd. of page 2)



Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 16.03.2023

Version number 11.5 (replaces version 11.4)

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Appropriate engineering controls No further data; see item 7.
- Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.
- Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Store protective clothing separately.

Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation.

Filter A/P2

Hand protection



Protective gloves

Rubber gloves

Synthetic rubber gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

Lyonado protoción daloty glasses	
SECTION 9: Physical and chemical properties	
SECTION 9: Physical and chemical properties 9.1 Information on basic physical and chemical prope General Information Physical state Colour: Odour: Odour threshold: Melting point/freezing point: Boiling point or initial boiling point and boiling range Flammability Lower and upper explosion limit Lower: Upper: Flash point: Decomposition temperature: pH Viscosity: Kinematic viscosity at 40 °C Dynamic:	Fluid Grey Mild Not determined. Undetermined.

Page 4/9

(Contd. of page 3)

Revision: 16.03.2023



Safety data sheet according to 1907/2006/EC, Article 31

Version number 11.5 (replaces version 11.4)

Revision: 16.03.2023

(Contd. of page 4)

Page 5/9

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

	(6	Jointo
· Solubility		
· water:	Not miscible or difficult to mix.	
· Partition coefficient n-octanol/water (log value)	Not determined.	
· Vapour pressure:	Not determined.	
Density and/or relative density		
· Density:	Not determined.	
· Relative density	Not determined.	
· Vapour density	Not determined.	
• 9.2 Other information		
· Appearance:	Death	
· Form:	Pasty	
Important information on protection of health and	3	
environment, and on safety.		
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product does not present an explosion hazard.	
· Solvent content:	0.00.0/	
VOC (EC)	0.00 %	
Change in condition	N I	
· Evaporation rate	Not determined.	
 Information with regard to physical hazard classes 		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
· Flammable liquids	Void	
· Flammable solids	Void	
 Self-reactive substances and mixtures 	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
 Self-heating substances and mixtures 	Void	
 Substances and mixtures, which emit flammable 		
gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation May cause an allergic skin reaction.



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 11.5 (replaces version 11.4)

Revision: 16.03.2023

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

(Contd. of page 5)

Page 6/9

· Carcinogenicity Suspected of causing cancer.

• **Reproductive toxicity** May damage fertility. May damage the unborn child. May cause harm to breast-fed children. • **STOT-repeated exposure**

Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure. • 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Remark: Very toxic for fish
- Additional ecological information:
- General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

SECTION 14. Transport information

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport Information	
 14.1 UN number or ID number ADR, IMDG, IATA 	UN3082
 14.2 UN proper shipping name 	
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (lead powder [particle diameter < 1 mm], isotridecan-1-ol)
·IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (lead powder [particle diameter < 1 mm], isotridecan-1-ol), MARINE POLLUTANT
	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (lead powder [particle diameter < 1 mm], isotridecan-1-ol)
	(Contd. on page 7)

GB



Page 7/9

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 11.5 (replaces version 11.4)

Revision: 16.03.2023

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

· 14.3 Transport hazard class(es)

(Contd. of page 6)

· ADR, IMDG, IATA · Class 9 Miscellaneous dangerous substances and articles. · Label 9 14.4 Packing group · ADR, IMDG, IATA Ш · 14.5 Environmental hazards: · Marine pollutant: Symbol (fish and tree) · Special marking (ADR): Symbol (fish and tree) · Special marking (IATA): Symbol (fish and tree) 14.6 Special precautions for user Warning: Miscellaneous dangerous substances and articles. Hazard identification number (Kemler code): 90 · EMS Number: F-A,S-F Stowage Category Α · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · Transport/Additional information: Limited quantities (LQ) 5L · Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml Transport category 3 Tunnel restriction code (-) · IMDG Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml · UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (LEAD POWDER [PARTICLE DIAMETER < 1 MM], ISOTRIDECAN-1-OL), 9, III

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture • Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

· Hazard pictograms



· Signal word Danger

(Contd. on page 8) GB



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 11.5 (replaces version 11.4)

Revision: 16.03.2023

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

(Contd. of page 7)

Page 8/9

· Hazard-determining components of labelling:

lead powder [particle diameter < 1 mm]

maleic acid

Hazard statements

Printing date 16.03.2023

- May cause an allergic skin reaction. H317
- H351 Suspected of causing cancer.
- H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
- Causes damage to the central nervous system, the kidneys and the blood through prolonged or H372 repeated exposure.
- Very toxic to aquatic life with long lasting effects. H410

Precautionary statements

- Obtain special instructions before use. P201
- P202 Do not handle until all safety precautions have been read and understood.
- Do not breathe dust/fume/gas/mist/vapours/spray. P260
- P263 Avoid contact during pregnancy and while nursing.
- P302+P352 IF ON SKIN: Wash with plenty of water.

P308+P313 IF exposed or concerned: Get medical advice/attention.

- Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- Seveso category E1 Hazardous to the Aquatic Environment
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· National regulations:

· Substances of very high concern (SVHC) according to UK REACH

CAS: 7439-92-1 lead powder [particle diameter < 1 mm]

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- . Harmful if swallowed. H302
- Harmful in contact with skin. H312
- Causes severe skin burns and eye damage. H314
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eve damage.
- H319 Causes serious eye irritation.
- H335 May cause respiratory irritation.
- H360FD May damage fertility. May damage the unborn child.
- May cause harm to breast-fed children. H362
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- Very toxic to aquatic life with long lasting effects. H410

EUH201A Warning! Contains lead.

· Department issuing SDS: Product Safety Department

· Contact: Hr. Dörr

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 11.5 (replaces version 11.4)

Trade name: Lotpaste SP1100 Sn62Pb36Ag2

vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 Care, 2: Carejageageicht, Category 1 Carc. 2: Carcinogenicity - Category 2 Repr. 1A: Reproductive toxicity - Category 1A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Revision: 16.03.2023

(Contd. of page 8)

Page 9/9

GB