

according to 1907/2006/EC, Article 31

Printing date 12.09.2023

Version number 1.1 (replaces version 1.0)

Revision: 12.09.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- Trade name: Lotpaste SP6000 TSC305
- · UFI: N943-M0ST-Y00K-9S3N
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Technical function soldering
- · Application of the substance / the mixture Brazing alloy

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Stannol GmbH & Co. KG Haberstrasse 24 D-42551 Velbert

+49 (0) 2051 3120 332 sdb@stannol.de

· Further information obtainable from: Product Safety Department

· 1.4 Emergency telephone number: 8:00 am - 5:00 pm (CET) +49 (0) 2051 3120 332

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Eye Irrit. 2H319 Causes serious eye irritation.Aquatic Acute 1H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



· Signal word Warning

Hazard statements

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

- P273 Avoid release to the environment.
- P280 Wear protective clothing / eye protection.
- P280 Wear protective gloves.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

- P337+P313 If eye irritation persists: Get medical advice/attention.
- P391 Collect spillage.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- · 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· vPvB: Not applicable.



Page 2/8

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Revision: 12.09.2023

(Contd. of page 1)

Trade name: Lotpaste SP6000 TSC305

Printing date 12.09.2023

SECTION 3: Composition/information on ingredients		
· 3.2 Mixtures · Description: Mixture of subs	tances listed below with nonhazardous additions.	
 Dangerous components: 		
CAS: 144413-22-9 ELINCS: 434-230-1 Index number: 607-682-00-4	complex mixture of Chinese gum rosin post reacted with acrylic acid Aquatic Chronic 4, H413	2 - 9%
CAS: 7440-22-4	Silver (Powder <0.0001mm)	2 - 9%
EINECS: 231-131-3	Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=100)	
CAS: 112-59-4 EINECS: 203-988-3 Index number: 603-175-00-7	2-(2-hexyloxyethoxy)ethanol Eye Dam. 1, H318 Acute Tox. 4, H312	2 - 9%
CAS: 34590-94-8 EINECS: 252-104-2	Dipropylene glycol monomethyl ether substance with a Community workplace exposure limit	≤ 2.5%
CAS: 7440-50-8 EINECS: 231-159-6 Index number: 029-024-00-X	Copper, powder (< 0.9 mm) Flam. Sol. 1, H228 Aquatic Acute 1, H400; Aquatic Chronic 1, H410	≤ 1%
	Diisooctylamin Acute Tox. 3, H311; Acute Tox. 3, H331 Skin Corr. 1B, H314 Aquatic Chronic 1, H410 Acute Tox. 4, H302	≤ 1%

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Generally the product does not irritate the skin.

• After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Wear protective clothing.

6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to section 13.



according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Trade name: Lotpaste SP6000 TSC305

Printing date 12.09.2023

· 6.4 Reference to other sections

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.

· Storage class: 11

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 7440-22-4 Silver (Powder < 0.0001mm)

IOELV Long-term value: 0.1 mg/m³

CAS: 34590-94-8 Dipropylene glycol monomethyl ether

IOELV Long-term value: 308 mg/m³, 50 ppm

Skin

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Appropriate engineering controls No further data; see section 7.
- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation. Filter A/P2

Hand protection



Protective gloves

Rubber gloves Synthetic rubber gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Revision: 12.09.2023

(Contd. of page 2)

Page 3/8



according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Trade name: Lotpaste SP6000 TSC305

Printing date 12.09.2023

· Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended. The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical prop General Information 	erties
· Physical state	Solid
· Colour:	
· Odour:	Grey
	Characteristic
• Odour threshold:	Not determined.
Melting point/freezing point:	Undetermined.
Boiling point or initial boiling point and boiling range	
· Flammability	Not determined.
Lower and upper explosion limit	
· Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable.
· Decomposition temperature:	Not determined.
·pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
· Dynamic:	Not applicable.
· Solubility	
· water:	Insoluble.
 Partition coefficient n-octanol/water (log value) 	Not determined.
· Vapour pressure:	Not applicable.
 Density and/or relative density 	
· Density:	Not determined.
· Relative density	Not determined.
· Vapour density	Not applicable.
 Particle characteristics 	
See section 3.	
· 9.2 Other information	
· Appearance:	
· Form:	Pasty
· Important information on protection of health and	
environment, and on safety.	-
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	·····
Organic solvents:	1.7 %
· Solids content:	100.0 %
Change in condition	
· Evaporation rate	Not applicable.
Information with regard to physical hazard classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
· Gases under pressure	Void

(Contd. on page 5) EU

Page 4/8

(Contd. of page 3)

Revision: 12.09.2023



Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Revision: 12.09.2023

Trade name: Lotpaste SP6000 TSC305

Printing date 12.09.2023

· Flammable liquids	Void
Flammable solids	Void
 Self-reactive substances and mixtures 	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
 Self-heating substances and mixtures 	Void
· Substances and mixtures, which emit flammable	
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- · 10.4 Conditions to avoid No further relevant information available.

· 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

CAS: 112-59-4 2-(2-hexyloxyethoxy)ethanol

LD50 4,920 mg/kg (rat) Oral

- Dermal LD50 1,500 mg/kg (rabbit)
- · Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Causes serious eye irritation.

- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

· Reproductive toxicity Based on available data, the classification criteria are not met.

• STOT-single exposure Based on available data, the classification criteria are not met.

- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. of page 4)

Page 5/8



according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Revision: 12.09.2023

Trade name: Lotpaste SP6000 TSC305

(Contd. of page 5)

Page 6/8

· 12.5 Results of PBT and vPvB assessment

· PBT: Not applicable.

Printing date 12.09.2023

• **vPvB:** Not applicable.

• 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties. • 12.7 Other adverse effects

· Remark: Very toxic for fish

· Additional ecological information:

· General notes:

Water hazard class 3 (German Regulation) (Self-assessment): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

HP14 Ecotoxic

· Uncleaned packaging:

· Recommendation: Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information	
· 14.1 UN number or ID number · ADR, IMDG, IATA	not regulated
 14.2 UN proper shipping name ADR, IMDG, IATA 	not regulated
 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
 14.6 Special precautions for user 	Not applicable.
 14.7 Maritime transport in bulk according to IM instruments 	O Not applicable.
· Transport/Additional information:	
· ADR · Remarks:	> 5 kg: 9
· IATA · Remarks:	> 5 kg: Class 9
· UN "Model Regulation":	not regulated



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Revision: 12.09.2023

Printing date 12.09.2023

Trade name: Lotpaste SP6000 TSC305

(Contd. of page 6)

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the CLP regulation.

Hazard pictograms



· Signal word Warning

Hazard statements

H319 Causes serious eye irritation.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

i recautional y statements		
P273	Avoid release to the environment.	
P280	Wear protective clothing / eye protection.	
P280	Wear protective gloves.	
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and	
	easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/attention.	
P391	Collect spillage.	
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

- · Seveso category E1 Hazardous to the Aquatic Environment
- Qualifying quantity (tonnes) for the application of lower-tier requirements 100 t
- · Qualifying quantity (tonnes) for the application of upper-tier requirements 200 t

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H228 Flammable solid. H302 Harmful if swallowed. H311 Toxic in contact with skin. H312 Harmful in contact with skin.



according to 1907/2006/EC, Article 31

Version number 1.1 (replaces version 1.0)

Revision: 12.09.2023

(Contd. of page 7)

Page 8/8

Trade name: Lotpaste SP6000 TSC305

Printing date 12.09.2023

H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H331 Toxic if inhaled. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H413 May cause long lasting harmful effects to aquatic life. · Department issuing SDS: Product Safety Department · Contact: Hr. Dörr · Date of previous version: 12.09.2023 · Version number of previous version: 1.0 · Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Sol. 1: Flammable solids - Category 1 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard - Category 4

ΕU