

Page 1/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 02.02.2023

Version number 9.3 (replaces version 9.2)

Revision: 02.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Loetdraht HS10 Pb70Sn30

Loetdraht HS10 Pb60Sn40 Loetdraht HS10 Pb50Sn50 Loetdraht HS10 Sn60Pb40 Loetdraht HS10 Sn63Pb37

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

- · Technical function soldering
- · Application of the substance / the mixture Brazing alloy
- 1.3 Details of the supplier of the safety data sheet
 Manufacturer/Supplier: Stannol GmbH & Co. KG Haberstrasse 24 D-42551 Velbert

+49 (0) 2051 3120 332 sdb@stannol.de

• Further information obtainable from: Product Safety Department • 1.4 Emergency telephone number: 8:00 am - 5:00 pm (CET) +49 (0) 2051 3120 332

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

 · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 					
Skin Sens. 1	H317	May cause an allergic skin reaction.			
Repr. 1A		May damage fertility. May damage the unborn child. May cause harm to breast-fed children.			

STOT RE 1 H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

· 2.2 Label elements

· Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

Lead

Rosin

· Hazard statements

H317 May cause an allergic skin reaction.

- H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
- H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.



Page 2/8

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 9.3 (replaces version 9.2)

Revision: 02.02.2023

(Contd. of page 1)

Printing date 02.02.2023

Trade name: Loetdraht HS10 Pb70Sn30

- Loetdraht HS10 Pb60Sn40 Loetdraht HS10 Pb50Sn50
 - Loetdraht HS10 Sn60Pb40 Loetdraht HS10 Sn63Pb37

Precautionary statements

Obtain special instructions before use. P201

- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P263 Avoid contact during pregnancy and while nursing.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves / eye protection / face protection.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Additional information:

EUH201A Warning! Contains lead.

Restricted to professional users.

2.3 Other hazards

Solder wires / solder pastes:

Inhalation of vapors released during the soldering process should be avoided. Flux vapors irritate the nose, throat, and respiratory tract, and can lead to allergic reactions (asthma) after prolonged or repeated contact. Therefore, an active suction is recommended.

After working with the product and before eating, drinking or smoking, wash your hands with soap and water.

Do not heat above 500 °C.

Keep out of the reach of children.

May cause occupational asthma · Results of PBT and vPvB assessment

· PBT: Not applicable.

vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components·

35 - 75%
≤ 2.5%

· SVHC

CAS: 7439-92-1 Lead

· Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

• After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact: Rinse opened eye for several minutes under running water.



Page 3/8

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 9.3 (replaces version 9.2)

Revision: 02.02.2023

Printing date 02.02.2023

Trade name: Loetdraht HS10 Pb70Sn30

Loetdraht HS10 Pb60Sn40 Loetdraht HS10 Pb50Sn50 Loetdraht HS10 Sn60Pb40 Loetdraht HS10 Sn63Pb37

(Contd. of page 2)

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- · 4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- \cdot 5.2 Special hazards arising from the substance or mixture
- During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures
- Ensure adequate ventilation
- Wear protective clothing.
- · 6.2 Environmental precautions: No special measures required.
- 6.3 Methods and material for containment and cleaning up: Dispose contaminated material as waste according to item 13.
- Ensure adequate ventilation.
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.
- See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

- Ensure good ventilation/exhaustion at the workplace.
- Open and handle receptacle with care.
- · Information about fire and explosion protection: Keep respiratory protective device available.

· 7.2 Conditions for safe storage, including any incompatibilities

- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- · Storage class: 6.1 C
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 7439-92-1 Lead

BOELV (EU) Long-term value: 0.15 mg/m³ as Pb



Page 4/8

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 9.3 (replaces version 9.2)

Revision: 02.02.2023

(Contd. of page 3)

Printing date 02.02.2023

Trade name: Loetdraht HS10 Pb70Sn30

Loetdraht HS10 Pb60Sn40 Loetdraht HS10 Pb50Sn50 Loetdraht HS10 Sn60Pb40 Loetdraht HS10 Sn63Pb37

CAS: 8050-09-7 Rosin

WEL (Great Britain) Short-term value: 0.15 mg/m³ Long-term value: 0.05 mg/m³ Sen

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Store protective clothing separately.

Respiratory protection:

Not necessary if room is well-ventilated. Use suitable respiratory protective device in case of insufficient ventilation. Filter A/P2

Hand protection



Protective gloves

To avoid skin problems reduce the wearing of gloves to the required minimum.

Rubber gloves

Synthetic rubber gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

SECTION 9: Physical and chemical properties

 9.1 Information on basic physical and chemical prope General Information 	erties
· Physical state	Solid
· Colour:	Grey
· Odour:	Characteristic
· Odour threshold:	Not determined.
 Melting point/freezing point: 	Undetermined.
 Boiling point or initial boiling point and boiling range Flammability 	Undetermined. Not determined.



Page 5/8

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 9.3 (replaces version 9.2)

Revision: 02.02.2023

(Contd. of page 4)

Printing date 02.02.2023

Trade name: Loetdraht HS10 Pb70Sn30 Loetdraht HS10 Pb60Sn40 Loetdraht HS10 Pb50Sn50 Loetdraht HS10 Sn60Pb40 Loetdraht HS10 Sn63Pb37

· Lower and upper explosion limit · Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable. Decomposition temperature: Not determined. · pH Not applicable. · Viscositv: · Kinematic viscosity Not applicable. · Dynamic: Not applicable. · Solubility · water: Insoluble. · Partition coefficient n-octanol/water (log value) Not determined. · Vapour pressure: Not applicable. · Density and/or relative density · Density: Not determined. Relative density Not determined. Vapour density Not applicable. · 9.2 Other information · Appearance: · Form: Wire · Important information on protection of health and environment, and on safety. · Auto-ignition temperature: Product is not selfigniting. · Explosive properties: Product does not present an explosion hazard. Solvent content: · Solids content: 100.0 % · Change in condition · Evaporation rate Not applicable. · Information with regard to physical hazard classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void **Pyrophoric solids** Void Self-heating substances and mixtures Void · Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void Oxidising solids Void · Organic peroxides Void · Corrosive to metals Void · Desensitised explosives Void

SECTION 10: Stability and reactivity

• **10.1 Reactivity** No further relevant information available.



Page 6/8

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 9.3 (replaces version 9.2)

Revision: 02.02.2023

(Contd. of page 5)

Printing date 02.02.2023

Trade name: Loetdraht HS10 Pb70Sn30

Loetdraht HS10 Pb60Sn40 Loetdraht HS10 Pb50Sn50 Loetdraht HS10 Sn60Pb40 Loetdraht HS10 Sn63Pb37

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

- · 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

• Respiratory or skin sensitisation May cause an allergic skin reaction.

• **Reproductive toxicity** May damage fertility. May damage the unborn child. May cause harm to breast-fed children. • **STOT-repeated exposure**

- Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.
- · 11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties The product does not contain substances with endocrine disrupting properties.
- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes: Not hazardous for water.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Packagings that may not be cleansed are to be disposed of in the same manner as the product.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, ADN, IMDG, IATA

not regulated



Printing date 02.02.2023

Page 7/8

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 9.3 (replaces version 9.2)

Revision: 02.02.2023

Trade name: Loetdraht HS10 Pb70Sn30 Loetdraht HS10 Pb60Sn40 Loetdraht HS10 Pb50Sn50 Loetdraht HS10 Sn60Pb40 Loetdraht HS10 Sn63Pb37

(Contd. of page 6)

 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	not regulated
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	not regulated
· 14.4 Packing group · ADR, IMDG, IATA	not regulated
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according to IMO instruments 	Not applicable.
· UN "Model Regulation":	not regulated

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Danger

· Hazard-determining components of labelling:

Lead

Rosin Hazard statements

May cause an allergic skin reaction. H317

H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children. Causes damage to the central nervous system, the kidneys and the blood through prolonged or H372

repeated exposure.

Precautionary statements

- P201 Obtain special instructions before use.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P263 Avoid contact during pregnancy and while nursing.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves / eye protection / face protection.

P308+P313 IF exposed or concerned: Get medical advice/attention.

- Get medical advice/attention if you feel unwell. P314
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.



Page 8/8

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 9.3 (replaces version 9.2)

Revision: 02.02.2023

Printing date 02.02.2023

Trade name: Loetdraht HS10 Pb70Sn30

Loetdraht HS10 Pb60Sn40 Loetdraht HS10 Pb50Sn50 Loetdraht HS10 Sn60Pb40 Loetdraht HS10 Sn63Pb37

(Contd. of page 7)

· National regulations:

· Substances of very high concern (SVHC) according to UK REACH

CAS: 7439-92-1 Lead

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H317 May cause an allergic skin reaction.

H360FD May damage fertility. May damage the unborn child.

H362 May cause harm to breast-fed children.

H372 Causes damage to organs through prolonged or repeated exposure.

EUH201A Warning! Contains lead.

· Department issuing SDS: Product Safety Department

· Contact: Hr. Dörr

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IMDG: International Maritime Code for Dangerous G IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Skin Sens. 1: Skin sensitisation – Category 1

Repr. 1A: Reproductive toxicity – Category 1A

STOT RE 1: Specific target organ toxicity (repeated exposure) - Category 1

GB