

Page 1/8

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 20.02.2023

Version number 1.4 (replaces version 1.3)

Revision: 20.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Verdünner VD E-900
- · 1.2 Relevant identified uses of the substance or mixture and uses advised against
- · Technical function soldering
- · Application of the substance / the mixture Thinner, Diluent
- · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: Stannol GmbH & Co. KG Haberstrasse 24 D-42551 Velbert

+49 (0) 2051 3120 332 sdb@stannol.de

· Further information obtainable from: Product Safety Department · 1.4 Emergency telephone number: 8:00 am - 5:00 pm (CET) +49 (0) 2051 3120 332

National Poisons Information Service +44 121 507 4123

Members of the public seeking specific information on poisons should contact: In England and Wales: NHS 111 - dial 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

· 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008
- The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapour.

Precautionary statements

•	· Precautionary statements		
	P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.	
	P233	Keep container tightly closed.	
	P240	Ground and bond container and receiving equipment.	
	P241	Use explosion-proof [electrical/ventilating/lighting] equipment.	
	P242	Use non-sparking tools.	
	P243	Take action to prevent static discharges.	
	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.	
P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or			
		shower].	
	P403+P235	Store in a well-ventilated place. Keep cool.	
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.	
•	2.3 Other hazards		
	Deputs of DPT and yDyP appagement		

Results of PBT and vPvB assessment

PBT: Not applicable.



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1.4 (replaces version 1.3)

Trade name: Verdünner VD E-900

· **vPvB:** Not applicable.

Printing date 20.02.2023

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous compo	nents:		
CAS: 64-17-5 EINECS: 200-578-6	ethanol	Flam. Liq. 2, H225 Eye Irrit. 2, H319	80 - 100%
CAS: 78-93-3 EINECS: 201-159-0	butanone	Flam. Liq. 2, H225 Eye Irrit. 2, H319; STOT SE 3, H336 EUH066	≤ 1%

• Additional information: For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information: Immediately remove any clothing soiled by the product.

- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact: Immediately rinse with water.

· After eye contact: Rinse opened eye for several minutes under running water.

- · After swallowing: If symptoms persist consult doctor.
- · 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

Suitable extinguishing agents:

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

\cdot 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

- Wear protective clothing.
- 6.2 Environmental precautions:

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Page 2/8

Revision: 20.02.2023

(Contd. of page 1)



Page 3/8

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1.4 (replaces version 1.3)

Printing date 20.02.2023

Trade name: Verdünner VD E-900

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling No special precautions are necessary if used correctly. · Information about fire - and explosion protection:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities · Storage:

· Requirements to be met by storerooms and receptacles: Store in a cool location.

· Information about storage in one common storage facility: Not required.

Further information about storage conditions:

Keep container tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

· Storage class: 3

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 64-17-5 ethanol

WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm

CAS: 78-93-3 butanone

WEL (Great Britain) Short-term value: 899 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm Sk, BMGV IOELV (EU) Short-term value: 900 mg/m³, 300 ppm Long-term value: 600 mg/m³, 200 ppm

· Ingredients with biological limit values:

CAS: 78-93-3 butanone

BMGV (Great Britain) 70 µmol/L Medium: urine Sampling time: post shift Parameter: butan-2-one

· Regulatory information BMGV (Great Britain): EH40/2011

· Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Appropriate engineering controls No further data; see item 7.

· Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Respiratory protection:

Not necessary if room is well-ventilated.

Use suitable respiratory protective device in case of insufficient ventilation. Filter A

Hand protection



Protective gloves

Solvent resistant gloves Rubber gloves Synthetic rubber gloves

Revision: 20.02.2023

(Contd. of page 2)



Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.4 (replaces version 1.3)

Revision: 20.02.2023

Trade name: Verdünner VD E-900

(Contd. of page 3)

Page 4/8

To avoid skin problems reduce the wearing of gloves to the required minimum.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Printing date 20.02.2023

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Safety glasses

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical and chemical prop • General Information	perties
	Elist
· Physical state	Fluid
· Colour:	Colourless
· Odour:	Characteristic
· Odour threshold:	Not determined.
· Melting point/freezing point:	-117 °C
Boiling point or initial boiling point and boiling rang	e 78 °C
Flammability	Highly flammable.
Lower and upper explosion limit	3,
· Lower:	Not determined.
· Upper:	Not determined.
· Flash point:	17 °C
· Decomposition temperature:	Not determined.
· pH	Not determined.
Viscosity:	N I I I
Kinematic viscosity	Not determined.
Dynamic:	Not determined.
· Solubility	
· water:	Fully miscible.
 Partition coefficient n-octanol/water (log value) 	Not determined.
· Vapour pressure:	Not determined.
 Density and/or relative density 	
Density:	Not determined.
· Relative density	Not determined.
Vapour density	Not determined.
. ,	
9.2 Other information	
· Appearance:	
· Form:	Fluid
 Important information on protection of health an 	d
environment, and on safety.	
 Auto-ignition temperature: 	Product is not selfigniting.
· Explosive properties:	Product is not explosive. However, formation of explosive
	air/vapour mixtures are possible.
· Solvent content:	
· Organic solvents:	100.0 %
· VOC (EC)	99.99 %
	(Contd. on page 5)



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1.4 (replaces version 1.3)

Revision: 20.02.2023

(Contd. of page 4)

Trade name: Verdünner VD E-900

Printing date 20.02.2023

 Change in condition Evaporation rate 	Not determined.
· Information with regard to physical hazard classes	
Explosives	Void
- Flammable gases	Void
Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Highly flammable liquid and vapour.
· Flammable solids	Void
 Self-reactive substances and mixtures 	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
 Self-heating substances and mixtures 	Void
 Substances and mixtures, which emit flammable 	
gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
 Desensitised explosives 	Void

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

- · Acute toxicity Based on available data, the classification criteria are not met.
- · LD/LC50 values relevant for classification:

CAS: 64-17-5 ethanol

Oral LD50 7,060 mg/kg (rat)

Inhalative LC50/4 h 20,000 mg/l (rat)

· Skin corrosion/irritation Based on available data, the classification criteria are not met.

· Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation Based on available data, the classification criteria are not met.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

· Carcinogenicity Based on available data, the classification criteria are not met.

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure Based on available data, the classification criteria are not met.

• STOT-repeated exposure Based on available data, the classification criteria are not met.

· Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. on page 6) GB

Page 5/8



Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1.4 (replaces version 1.3)

Trade name: Verdünner VD E-900

Printing date 20.02.2023

· 11.2 Information on other hazards

· Endocrine disrupting properties

CAS: 78-93-3 butanone

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · **vPvB:** Not applicable.
- 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11.
- · 12.7 Other adverse effects
- · Additional ecological information:
- General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
- Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Packagings that may not be cleansed are to be disposed of in the same manner as the product.
- · Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

- · 14.1 UN number or ID number
- · ADR, IMDG, IATA
- · 14.2 UN proper shipping name
- · ADR

·IMDG

· IATA

· 14.3 Transport hazard class(es)

· ADR, IMDG, IATA



· Class

- · Label
- · 14.4 Packing group
- · ADR, IMDG, IATA
- · 14.5 Environmental hazards:

· 14.6 Special precautions for user

3 Flammable liquids.

ETHANOL SOLUTION

3

Ш

Not applicable. Warning: Flammable liquids.

1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION)

Page 6/8

Revision: 20.02.2023

(Contd. of page 5)

List II

UN1170

UNIT



Page 7/8

Safety data sheet according to 1907/2006/EC, Article 31

Version number 1.4 (replaces version 1.3)

Revision: 20.02.2023

Trade name: Verdünner VD E-900

Printing date 20.02.2023

(Contd. of page 6)

 Hazard identification number (Kemler code): EMS Number: Stowage Category 	33 F-E,S-D A
 14.7 Maritime transport in bulk according to IMC instruments 	D Not applicable.
· Transport/Additional information:	
 ADR Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
 Transport category Tunnel restriction code 	2 D/E
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
• UN "Model Regulation":	UN 1170 ETHANOL SOLUTION (ETHYL ALCOHOL SOLUTION), 3, II

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
 Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms



· Signal word Danger

Hazard statements

H225 Highly flammable liquid and vapour.

· Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P233	Keep container tightly closed.

- P240 Ground and bond container and receiving equipment.
- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
- P242 Use non-sparking tools.
- P243 Take action to prevent static discharges.
- P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
- P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P403+P235 Store in a well-ventilated place. Keep cool.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- · Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- \cdot Qualifying quantity (tonnes) for the application of upper-tier requirements $50,000\ t$



Page 8/8

Safety data sheet

according to 1907/2006/EC, Article 31

Version number 1.4 (replaces version 1.3)

Revision: 20.02.2023

(Contd. of page 7)

Trade name: Verdünner VD E-900

Printing date 20.02.2023

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

EUH066 Repeated exposure may cause skin dryness or cracking.

· Department issuing SDS: Product Safety Department

· Contact: Hr. Dörr

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3