



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2023

Version number 6.6 (replaces version 6.5)

Revision: 06.04.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### · 1.1 Product identifier

· Trade name: Loetlegierung Sn62Pb36Ag2

Loetlegierung Pb93Sn5Ag2

Loetlegierung Pb95,5Ag2,5Sn2

Loetlegierung Pb97,5Ag1,5Sn1

#### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

Drinking water installations, use in food technology. Use in medical technology. Temperatures > 500 ° C

· **Technical function** soldering

· **Application of the substance / the mixture** Brazing alloy

#### · 1.3 Details of the supplier of the safety data sheet

##### · **Manufacturer/Supplier:**

Stannol GmbH & Co. KG  
Haberstrasse 24  
D-42551 Velbert

+49 (0) 2051 3120 332  
sdb@stannol.de

· **Further information obtainable from:** Product Safety Department

#### · 1.4 Emergency telephone number:

8:00 am - 5:00 pm (GET) +49 (0) 2051 3120 332

National Poisons Information Service  
+44 121 507 4123

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

#### · 2.1 Classification of the substance or mixture

##### · **Classification according to Regulation (EC) No 1272/2008**

Repr. 1A H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

STOT RE 1 H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

#### · 2.2 Label elements

##### · **Labelling according to Regulation (EC) No 1272/2008**

The product is classified and labelled according to the GB CLP regulation.

##### · **Hazard pictograms**



GHS08

· **Signal word** Danger

##### · **Hazard-determining components of labelling:**

Lead

##### · **Hazard statements**

H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.

H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

(Contd. on page 2)

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2023

Version number 6.6 (replaces version 6.5)

Revision: 06.04.2023

**Trade name: Loetlegierung Sn62Pb36Ag2**  
**Loetlegierung Pb93Sn5Ag2**  
**Loetlegierung Pb95,5Ag2,5Sn2**  
**Loetlegierung Pb97,5Ag1,5Sn1**

(Contd. of page 1)

### · Precautionary statements

- P201 Obtain special instructions before use.
- P260 Do not breathe dust/fume/gas/mist/vapours/spray.
- P263 Avoid contact during pregnancy and while nursing.
- P270 Do not eat, drink or smoke when using this product.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P308+P313 IF exposed or concerned: Get medical advice/attention.
- P314 Get medical advice/attention if you feel unwell.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

### · Additional information:

- EUH201A Warning! Contains lead.
- Restricted to professional users.

### · 2.3 Other hazards

### · Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

- **Description:** Mixture of substances listed below with nonhazardous additions.

### · Dangerous components:

- |                   |  |           |
|-------------------|--|-----------|
| CAS: 7439-92-1    | Lead   | 30 - 100% |
| EINECS: 231-100-4 | Repr. 1A, H360FD-H362; STOT RE 1, H372<br>EUH201A<br>Specific concentration limit: Repr. 1A; H360D: C ≥ 0.03 % |           |
| CAS: 7440-22-4    | silver   | 1 - 3%    |
| EINECS: 231-131-3 | substance with a Community workplace exposure limit  |           |

### · SVHC

- CAS: 7439-92-1 Lead

- **Additional information:** For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

### · General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.

- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.

- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

## SECTION 5: Firefighting measures

### · 5.1 Extinguishing media

- **Suitable extinguishing agents:** Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 3)  
GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2023

Version number 6.6 (replaces version 6.5)

Revision: 06.04.2023

**Trade name:** Loetlegierung Sn62Pb36Ag2  
Loetlegierung Pb93Sn5Ag2  
Loetlegierung Pb95,5Ag2,5Sn2  
Loetlegierung Pb97,5Ag1,5Sn1

(Contd. of page 2)

- **5.2 Special hazards arising from the substance or mixture**  
During heating or in case of fire poisonous gases are produced.
- **5.3 Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Ensure adequate ventilation  
Wear protective clothing.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:**  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.
- **6.4 Reference to other sections**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**  
Ensure good ventilation/exhaustion at the workplace.  
Open and handle receptacle with care.
- **Information about fire - and explosion protection:** Keep respiratory protective device available.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep container tightly sealed.
- **Storage class:** 6.1 C
- **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Ingredients with limit values that require monitoring at the workplace:**  
**CAS: 7439-92-1 Lead**  
BOELV (EU) Long-term value: 0.15 mg/m<sup>3</sup>  
as Pb
- **CAS: 7440-22-4 silver**  
WEL (Great Britain) Long-term value: 0.1 mg/m<sup>3</sup>  
IOELV (EU) Long-term value: 0.1 mg/m<sup>3</sup>
- **Additional information:** The lists valid during the making were used as basis.
- **8.2 Exposure controls**
- **Appropriate engineering controls** No further data; see section 7.
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures:**  
Keep away from foodstuffs, beverages and feed.  
Wash hands before breaks and at the end of work.  
Store protective clothing separately.

(Contd. on page 4)  
GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2023

Version number 6.6 (replaces version 6.5)

Revision: 06.04.2023

**Trade name:** Loetlegierung Sn62Pb36Ag2  
Loetlegierung Pb93Sn5Ag2  
Loetlegierung Pb95,5Ag2,5Sn2  
Loetlegierung Pb97,5Ag1,5Sn1

(Contd. of page 3)

- **Respiratory protection:**  
Not necessary if room is well-ventilated.  
Use suitable respiratory protective device in case of insufficient ventilation.  
Filter P2

- **Hand protection**



Protective gloves

Leather gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

- **Penetration time of glove material**

The determined penetration times according to EN 16523-1:2015 are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **Eye/face protection** Safety glasses

### SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**

- **General Information**

- **Physical state** Solid
- **Colour:** Silver grey
- **Odour:** Odourless
- **Odour threshold:** Not determined.
- **Melting point/freezing point:** Undetermined.
- **Boiling point or initial boiling point and boiling range** Undetermined.
- **Flammability** Not determined.
- **Lower and upper explosion limit**
- **Lower:** Not determined.
- **Upper:** Not determined.
- **Flash point:** Not applicable.
- **Decomposition temperature:** Not determined.
- **pH** Not applicable.
- **Viscosity:**
- **Kinematic viscosity** Not applicable.
- **Kinematic viscosity**
- **Dynamic:** Not applicable.
- **Solubility**
- **water:** Insoluble.
- **Partition coefficient n-octanol/water (log value)** Not determined.
- **Vapour pressure:** Not applicable.
- **Vapour pressure:**
- **Density and/or relative density**
- **Density:** Not determined.

(Contd. on page 5)

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2023

Version number 6.6 (replaces version 6.5)

Revision: 06.04.2023

Trade name: Loetlegierung Sn62Pb36Ag2  
Loetlegierung Pb93Sn5Ag2  
Loetlegierung Pb95,5Ag2,5Sn2  
Loetlegierung Pb97,5Ag1,5Sn1

(Contd. of page 4)

· Relative density	Not determined.
· Vapour density	Not applicable.
· 9.2 Other information	
· Appearance:	
· Form:	Solid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not selfigniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· Solids content:	100.0 %
· Change in condition	
· Evaporation rate	Not applicable.
· Information with regard to physical hazard classes	
· Explosives	Void
· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known.
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known.

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** May damage fertility. May damage the unborn child. May cause harm to breast-fed children.
- **STOT-repeated exposure**  
Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.

(Contd. on page 6)

GB



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2023

Version number 6.6 (replaces version 6.5)

Revision: 06.04.2023

Trade name: Loetlegierung Sn62Pb36Ag2  
Loetlegierung Pb93Sn5Ag2  
Loetlegierung Pb95,5Ag2,5Sn2  
Loetlegierung Pb97,5Ag1,5Sn1

(Contd. of page 5)

- **11.2 Information on other hazards**
- **Endocrine disrupting properties**  
None of the ingredients is listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Not hazardous for water.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- **Uncleaned packaging:**
- **Recommendation:** Packagings that may not be cleansed are to be disposed of in the same manner as the product.

### SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, ADN, IMDG, IATA** not regulated
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** not regulated
- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** not regulated
- **14.4 Packing group**
- **ADR, IMDG, IATA** not regulated
- **14.5 Environmental hazards:** Not applicable.
- **14.6 Special precautions for user** Not applicable.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- **UN "Model Regulation":** not regulated

GB  
(Contd. on page 7)



## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 06.04.2023

Version number 6.6 (replaces version 6.5)

Revision: 06.04.2023

**Trade name: Loetlegierung Sn62Pb36Ag2**  
**Loetlegierung Pb93Sn5Ag2**  
**Loetlegierung Pb95,5Ag2,5Sn2**  
**Loetlegierung Pb97,5Ag1,5Sn1**

(Contd. of page 6)

### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Labelling according to Regulation (EC) No 1272/2008**  
The product is classified and labelled according to the GB CLP regulation.
- **Hazard pictograms**



GHS08

- **Signal word** Danger
- **Hazard-determining components of labelling:**  
Lead
- **Hazard statements**  
H360FD-H362 May damage fertility. May damage the unborn child. May cause harm to breast-fed children.  
H372 Causes damage to the central nervous system, the kidneys and the blood through prolonged or repeated exposure.
- **Precautionary statements**  
P201 Obtain special instructions before use.  
P260 Do not breathe dust/fume/gas/mist/vapours/spray.  
P263 Avoid contact during pregnancy and while nursing.  
P270 Do not eat, drink or smoke when using this product.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P308+P313 IF exposed or concerned: Get medical advice/attention.  
P314 Get medical advice/attention if you feel unwell.  
P405 Store locked up.  
P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Directive 2012/18/EU**
- **Named dangerous substances - ANNEX I** None of the ingredients is listed.
- **National regulations:**
- **Substances of very high concern (SVHC) according to UK REACH**  
CAS: 7439-92-1 Lead
- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**  
H360FD May damage fertility. May damage the unborn child.  
H362 May cause harm to breast-fed children.  
H372 Causes damage to organs through prolonged or repeated exposure.  
EUH201A Warning! Contains lead.
- **Department issuing SDS:** Product Safety Department
- **Contact:** Hr. Dörr
- **Abbreviations and acronyms:**  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances

(Contd. on page 8)  
GB



**STANNOL**

Page 8/8

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 06.04.2023

Version number 6.6 (replaces version 6.5)

Revision: 06.04.2023

**Trade name: Loetlegierung Sn62Pb36Ag2**  
**Loetlegierung Pb93Sn5Ag2**  
**Loetlegierung Pb95,5Ag2,5Sn2**  
**Loetlegierung Pb97,5Ag1,5Sn1**

(Contd. of page 7)

ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Repr. 1A: Reproductive toxicity – Category 1A  
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

GB